

## Corex Coax Stripper

For Cables with a Jacket diameter of 2.54 to 7.62 mm

### Features:

- Complete cable strip
- Easy cutter adjustment
- Simple rotary cutting motion
- Colour coded cassettes
- Pre-set strip lengths

*Image representative of type only*



Part Number	Description	mm <sup>2</sup> (AWG) or other
603995-2	2 step cable stripper for Comercial BNC connectors and RG 58 / 59 / 62 cable. 6.8 mm outer jacket strip length. Spare Cassete Blue, PN 603996-2	RG 58 / 59 / 62 Cable Ø5.0-6.5mm
947489-1	3 step cable stripper for Commercial BNC connectors. 7.5 mm outer jacket & 3.5 mm dielectric strip lengths. Spare Cassete Brown PN 947490-1	RG 58 / 59 / 62 Cable Ø5.0-6.5mm
603995-5	3 step cable stripper for Dual Crimp BNC connectors. 5.5 mm outer jacket & 5.5 mm dielectric strip lengths Spare Cassete Black PN 603996-4	
603995-6	3 step cable stripper for Dual Crimp Commercial BNC connectors and RG; 174, 179, 188 & 316 cable. 6.8 mm outer jacket & 2.5 mm dielectric strip lengths. Spare Cassete White PN 603996-5	RG; 174, 179, 188 & 316 Cable Ø2.5-3.0mm
603995-1	2 step cable stripper for Single crimp BNC connectors and RG 195 / 180 cable. 6 mm outer jacket strip length. Spare Cassete Red, PN 603996-1	RG 195 / 180 Cable Ø3.0-5.0mm
603995-3	2 step cable stripper for UHF connectors and RG 6 & Beldon 8281. 12 mm outer jacket strip length. Spare Cassete Yellow, PN 603996-3	RG 6 & Beldon 8281 Cable Ø6.4-7.0mm

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*

## Coax Cable Stripper

1490490-1

### Features:

- 3 Blades designed to strip RG 6, 58 and 59 cable in one step
- Replaceable Blade Cartridges

*Image representative of type only*



## Oden - Cable Stripper

2-1579002-4 - Stripping Tool

7-1579005-4 - Spare Blade

*Image representative of type only*

### Features:

Outer Sheath Stripper suitable for most discrete, multicore and fibre optic cables

Fine adjustment is possible by a 10 position adjustment wheel

Replaceable Blade

Automatically adjusts to different cable diameters

Works on cable diameters up to 11mm

Ideal for Cat 5 & 6 cable



## Cyclops - Cable Stripper

1375317-1

### Features:

Outer Sheath Stripper

Automatically adjusts to different cable diameters

Works on cable diameters up to 11mm

*Image representative of type only*



## Economy Wire Stripper & Cutter

1490491-1

### Features:

Strips 0.2 - 6.0 mm<sup>2</sup> (24-10)

8 wire size adjustments

*Image representative of type only*



## Tor - Rotary Cable Stripper

2-1579002-5 - Stripping Tool  
Nato Stk No. 5110-99-5301839

*Image representative of type only*

7-1579005-5 - Spare Blade

### Features:

Works on cables from 4.5 to 40 mm diameter  
Circular + Straight Strip  
Circular + Spiral Strip  
Also window stripping possible  
Replaceable blade  
Lanyard fixing  
Spare blade in handle cavity



## Rotary Cable Stripper

606700-1

*Image representative of type only*

### Features:

Works on cables up to 25 mm diameter  
Circular + Straight Strip  
Supplied with spare blade



## Embla - Automatic Wire Stripper

For various insulation types

### Features:

- Easily replaceable blade cassette
- V blade cassettes for difficult cable types
- Adjustable stripping length
- Ergonomic non-slip handles
- Built-in cutter, also with replaceable blades

*Image representative of type only*



Part Number	Description	mm <sup>2</sup> (AWG) or other
2-1579002-3	most insulation types and includes: form blade Cassette 4 - 16 mm <sup>2</sup> Spare Blade 7-1579005-3	4.0 - 16.0 (12-6)
2-1579002-2	PTFE, THHN & TTHW and includes: V blade Cassette 0.02 - 4 mm <sup>2</sup> Spare Blade 7-1579005-2	0.2 - 4.0 (24-12)
2-1579002-1	Standard PVC and includes: parallel blade Cassette 0.02 - 10 mm <sup>2</sup> Nato Stk No. 5110-99-7009177 Spare Blade 7-1579005-1	0.02 - 10.0 (34-8)

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*

## Automatic Wire Stripper

734185-1

### Features:

- Works on PVC, THHN and TTHW cable 0.08 - 6.0 (28-10)
- Adjustable stripping length
- Ergonomic non-slip handles
- Built-in cutter

*Image representative of type only*



## Die-cast Automatic Wire Stripper

### Features:

- Adjustable strip length
- Automatic cut-depth
- Non-slip handles

*Image representative of type only*



Part Number	Description	mm <sup>2</sup> (AWG) or other
1579002-2	Base Tool without Blades	
1-1579002-2	for PVC, THHN and THHW cable (includes blades) Spare Blade set 3-1579005-7	0.08 - 6.0 (28-10)
4-1579002-2	for SOLARLOK Cable (includes blades) Spare Blade set 1579006-7	1.5 - 6.0 (16-10)

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*

## Small Wire Cutters

1116571-1

Used primarily when lacing / installing the tool-less Mod Jack

*Image representative of type only*

### Features:

- Cuts wire flush
- Spring loaded handles



## KT 80 Cutting Tool

654061-1 - Ideal for cutting Ribbon Cable

### Features:

- Up to 64 conductors of 0.5mm<sup>2</sup> by 81.5mm wide
- Clean undistorted cut
- Built-in Guide ensures square cut

*Image representative of type only*



Replaceable:

Blade 658654-1

Anvil 658563-1

## Cable Tie Gun

734587-1 - for Cable Ties 2.2 - 4.8 mm and thickness up to 1.6 mm

### Features:

- Automatic cut-off
- Adjustable tension setting

*Image representative of type only*



## Non-impact Punch-down Tool

Tools without impact assist

### Features:

- Rubber palm grip
- Blade Storage area in the side of the Tool
- Accepts all Twist & Lock Blades

*Image representative of type only*



Part Number	Description	mm <sup>2</sup> (AWG) or other
1583236-1	Tool with 110 Blade	0.08 - 0.34 (28-24)
1583236-2	Tool without blade	0.08 - 0.34 (28-24)
1583236-3	Tool with 066 Blade	0.08 - 0.34 (28-24)

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*

## Impact Punch-down Tool

Tools with impact assist

### Features:

- Rubber palm grip
- Spare blade storage
- Adjustable Hi / Low impact setting
- Accepts all standard twist & Lock blades

*Image representative of type only*



Part Number	Description	mm <sup>2</sup> (AWG) or other
1583608-1	Tool with 110 Blade	0.08 - 0.34 (28-24)
1583608-2	Tool without Blade	0.08 - 0.34 (28-24)
1583608-3	Tool with 066 Blade	0.08 - 0.34 (28-24)

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*

## Premium Impact Punch-down Tool

Tools with impact assist

### Features:

- Integral spot light
- Non-slip cushioned grip
- Pick hook and spudger
- Spare blade storage
- Adjustable impact force
- Accepts all standard twist & Lock blades

*Image representative of type only*



Part Number	Description	mm <sup>2</sup> (AWG) or other
1375308-1	Tool with 110 Blade 1375309-1 Spare 110 Blade	0.08 - 0.34 (28-24)
1375308-2	Tool without Blade	0.08 - 0.34 (28-24)
1375308-3	Tool with 066 Blade 1725872-1 Spare 066 Blade	0.08 - 0.34 (28-24)
1375308-4	Tool with 066 / 110 Blade 1375310-1 Spare 066 / 110 Blade	0.08 - 0.34 (28-24)

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*

## Professional Hand Tool

2-231652 - Base Tool without Die-set

### Features:

Interchangeable Dies for all but 10 posn. plugs  
 Terminates both strain reliefs and inserts contacts in one motion  
 Ratchet mechanism ensures complete crimp cycle  
 Cuts, strips and terminates  
 Compatible with many other leading brand products  
 AMP plugs are UL approved when terminated using this tool

*Image representative of type only*



Part Number	Description	mm <sup>2</sup> (AWG) or other
2-231652-8	Complete tool for MODULAR PLUG connectors	4 & 6 Posn Line
853400-8	Die-set for MODULAR PLUG connectors Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	4 & 6 Posn Line
2-231652-3	Complete tool for MODULAR PLUG connectors	4 Posn Hand-set
853400-3	Die-set for MODULAR PLUG connectors Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	4 Posn Hand-set
2-231652-6	Complete tool for MODULAR PLUG connectors	6 Position off-set Flat, Oval & Round - Solid & Stranded
2-231652-7	Complete tool for MODULAR PLUG connectors	6 posn Long Body Flat, Oval & Round - Solid & Stranded
853400-7	Die-set for MODULAR PLUG connectors - Flat oval & Round - Solid or Stranded Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	6 Posn Long Body Flat, Oval & Round - Solid or Stranded
853400-6	Die-set for MODULAR PLUG connectors - Flat oval & Round - Solid or Stranded Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	6 Posn off-set Flat, Oval & Round - Solid or Stranded
3-231652-0	Complete tool for MODULAR PLUG connectors	8 Posn High Performance CAT 5 Cable
1-853400-0	Die-set for MODULAR PLUG connectors - CAT 5 cable Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	8 Posn High Performance CAT 5 cable
2-231652-1	Complete tool for MODULAR PLUG connectors	8 Posn Long Body
853400-1	Die-set for MODULAR PLUG connectors Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	8 Posn Long Body

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*

## Mod Jack Tool

Tool & Lacing Fixture combinations for rear entry cable Jacks.

*Image representative of type only*

### Features:

- Buit-in cable stripper
- Terminates and cuts all conductors in one go
- Very small breakouts can be achieved
- Comes in a convenient Draw-string Pouch

- Can be used on CAT 3 , 5 & 6 cable with:
- Rear cable entry 110 SL Series Jacks
- Rear cable entry AMP TWIST 6S SL Jacks



Part Number	Description	mm <sup>2</sup> (AWG) or other
1673956-1	Lacing Fixture for rear cable entry 110 SL series Jacks. Use in Base Tool & Pouch	0.2 (24) stranded 0.2-0.4 (24-22) solid
1725150-1	Base tool, Pouch & Lacing Fixture 1673956-1 for rear cable entry 110 SL series Jacks	0.2 (24) stranded 0.2-0.4 (24-22) solid
1725150-3	Base tool & Pouch for rear cable entry AMP TWIST 6S SL series Jacks. NO Lacing Fixture required	0.2 (24) stranded 0.2-0.4 (24-22) solid

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*

## Crimping Kit for Modular Plugs

*Image representative of type only*

### Features:

- 2-231652 Professional hand Tool
- 231662-1 Blade Replacement Kit
- Screw Driver
- Rhobust plastic Carry Case
- Dies for specified Plug types



Part Number	Description	mm <sup>2</sup> (AWG) or other
1-231666-0	Standard Kit for Shielded & Non-shielded Plugs	4, 6 & 8 Posn. Line
1-231666-3	Professional Kit for Shielded & Non-shielded Plugs	4, 6 & 8 Posn. Line 6 Posn. Long Body 4 Posn. Telephone Plug
1-231666-1	Standard Kit for Shielded & Non-shielded Plugs	4-6, 8 Posn. 4 Posn. Handset

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*

## Tone Generator

1490531-1

1673606-1 - includes 1490531-1 plus Tone Tracer 1490533-1 in handy Two Pocket Pouch

*Image representative of type only*

### Features:

Three built-in tones

Auto off

Separate talk battery for increased voltage and power for test sets

Modular Jack allows multiple cord sets to be used for different applications



## Tone Tracer

1490533-1

1673606-1 - includes 1490533-1 plus Tone Generator 1490531-1 in handy Two Pocket Pouch

*Image representative of type only*

### Features:

Detection without direct cable or wire contact

Ergonomically shaped

Can be used with any Tone Generator

Replacement quick change tips available



## 4-Pair Tester

1490530-1

### Features:

Tests for opens, shorts, mis-wires, reversals and split pairs

Auto on/off

Battery low indicator

*Image representative of type only*



## Butt Set

1490532-1

### Features:

LCD Display shows; on-hook voltage, number dialled, off-hook current, called ID, stored numbers etc.  
 Tone and pulse dialling  
 Modular cord set attachment  
 Auto off

*Image representative of type only*



## SUPER CHAMP II

Tools for service & repair

### Features:

Made from high quality special steel for long life  
 Fitted with plastic comfort handles

*Image representative of type only*



Part Number	Description	mm <sup>2</sup> (AWG) or other
169111-1	Open Barrel Terminals 'F' crimp Crimp widths; 2.2, 2.4, 2.8, 3.2, 3.8 & 4.8mm Wire strippers for 0.5-0.75, 1.0, 1.5, 2.5, 4 & 6mm	0.4 - 6.0 (22-10)
169060-8	PIDG, PLASTI-GRIP - All Types Bolt cutters for 3, 3.5, 4 & 5mm bolts Wire strippers for 0.5-0.75, 1.0, 1.5, 2.5, 4 & 6mm	0.26 - 6.6 (24-10)

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*

## SUPER CHAMP FT

720781-3 - for service & repair with Bulkhead Series and PIDG & PLASTIGRIP Terminals

### Features:

Made from high quality special steel for long life  
 Fitted with plastic comfort handles

Bulkhead Series Terminals

- 0.3 mm<sup>2</sup>
- 0.5 - 0.85 mm<sup>2</sup>
- 1.25 - 2.0 mm<sup>2</sup>

PIDG & PLASTIGRIP  
 RBY 0.5 - 6mm<sup>2</sup> (22-10)  
 General wire strippers

*Image representative of type only*



## CRIMPAC CG

734372-1 - Base Tool without dies

*Image representative of type only*

### Features:

- Toggle lever handle force adjuster with quick release
- Cable cutting device 0.5 - 6 mm<sup>2</sup> (21-10)
- Wire stripping device 0.5 - 6 mm<sup>2</sup> (21-10)



Part Number	Description	mm <sup>2</sup> (AWG) or other
825582-2	Complete tool for CI-2; MATE-N-LOK 3.5; Standard TIMER AMLIVERSAL Logo	0.5 - 5.3 (22-10)
825582	Complete tool for CI-2; MATE-N-LOK 3.5; Standard TIMER	0.5 - 5.3 (22-10)
825508-5	Complete tool for PIDG & PLASTI-GRIP Terminals	0.5 - 6.0 (22-10)
734481-1	Die-set for PIDG, PLASTI-GRIP - All Types Use in Hand Tool Frame 734372-1	0.6 - 6.0 (22-10)

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*

## Die-set - SDE for Fibre Optic Connectors

SDE Dies allow Hand or Powered options

### Features:

- Use in:
- SDE PRO-CRIMPER III Hand Tool 354940-1
- SDE PEW 12 Hand Tool 9-1478240-0
- SDE DA Hand Tool 1213745-1
- SDE BATTERY TOOL (Kit) 1725837-2 for shoulder dies
- SDE 626 Head 679304-1 + accessories
- SDE Electric Terminator 1490076-2
- SDE Bench Press Adapter 1579000-8 + Press 1481004-7

*Image representative of type only*



Part Number	Description	mm <sup>2</sup> (AWG) or other
91900-1	HTS Fibre Optic contact HD-LWL series	

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*

## Fibre Cleaver - S 315

492674-1

*Image representative of type only*

### Features:

- Long life Ceramic Blade - over 6,000 cuts
- 90° at <1°, and 99% at <2°
- Suitable for single and multimode fibres
- Carry case included



## Fibre Cleaver - Universal

503924-1

### Features:

For all Cut & Break applications  
 Cutter life: circa 40,000 cleaves

*Image representative of type only*



## Dual Purpose Butterfly Tool

Mass termination tool for AMP CHAMP products

### Features:

Mass terminates and shears all wires in a single action  
 Can be fixed by screws to a bench  
 Supplied in a carrying case

*Image representative of type only*



Part Number	Description	mm <sup>2</sup> (AWG) or other
229378-1	Standard tool for AMP CHAMP	14, 24, 36 & 50 Posn
231880-1	Standard tool for AMP CHAMP	64 Posn
1424624-1	BT version for AMP CHAMP	50 Posn
2-229378-5	GB version for AMP CHAMP	50 Posn

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*