

## GHW Hand Tool list

**Please note that the following information is incomplete!**

*Provided temporarily until a complete cross-reference is compiled*

For Tyco Part Numbers, pricing, availability and ordering, please contact Paul Stevens:

Tel: +44 (0)1237 42 8668

Email: [PStevens@tycoelectronics.com](mailto:PStevens@tycoelectronics.com)

GHW PN	Tyco PN	(picture is only typical of type) Tool Type	Terminal type	mm <sup>2</sup> (awg) Wire Range	
50.001.101.207	525450-8	AZ 207		R,B,Y	
50.001.101.206		AZ 206			
50.001.101.202		AZ 202			
50.001.101.200		AZ 200			
50.000.101.240		AZ 240			
50.000.101.241	525450-1	AZ 241			
50.001.101.232	525450-9	AZ 232	R,B,Y Includes bolt cutters	0.5 - 6.0 (21-10)	
50.001.101.600		AZ 600		R,B,Y	
50.001.101.650	1-525450-0	AZ 650		Includes adjustable 3 pos. Locator	0.5 - 6.0 (21-10)
50.000.101.660		AZ 660			
50.000.011.120		11,120			
50.000.011.125		11,125			
50.000.011.130		11,130			
50.000.101.801		AZ 801	Receptacles	0.5 - 2.5 (21-14)	
50.000.101.806	525450-2	AZ 806			
50.000.101.811		AZ 811	F 2,8, F 4,8	0.5 - 2.5 (21-14)	
50.000.101.813		AZ 813			
50.000.101.814	5-525450-2	AZ 814	FSH 4,8	0.5 - 1.0 (21-18)	
50.000.101.901		AZ 901			
50.000.101.905	525450-3	AZ 905	FSH 6,3/9,5	2.5 - 6.0 (14-10)	
50.000.101.912		AZ 912	flat and circular connectors	1.5 - 6.0 (16-10)	
50.000.140.124					
50.000.140.215					
50.000.190.801	525450-4		flat and circular connectors	0.5 - 2.5 (21-14)	
50.000.190.806					
50.000.190.815					
50.000.190.901					
50.000.201.768	525450-6		Ring tongue terminals	0.5 - 6.0 (21-10)	
50.000.201.863	525450-7		Ring tongue terminals	4.0 - 10.0 (12-8)	
55.201.106.861	1-525450-3	AZ 861	Cable lugs	0.5 - 2.5 (21-14)	
55.505.106.818	1-525450-7	AZ 818	FSH 6,3	0.5 - 2.5 (21-14)	
56.165.210.752			FS 2,8		
56.413.106.822		AZ 822	DFK 3	0.5 - 2.5 (21-14)	
56.414.106.823		AZ 823	DFK 3	0.3 - 0.6 (23-20)	
56.436.106.821		AZ 821	FSH 9,5	2.5 - 4.0 (14-12)	
56.471.201.767			DFK 2	0.5 - 2.5 (21-14)	
56.635.101.866	3-525450-1	AZ 866	DFK 40 plus	4.0 - 6.0 (12-10)	
56.712.106.820		AZ 820	Cable lugs M5	0.75 - 1.5 (19-16)	
56.718.106.824		AZ 824	Claw terminals M5	1.5 - 2.5 (16-14)	
56.840.201.764	3-525450-5		FSH 6,3	0.5 - 2.5 (21-14)	
56.875.106.314			DFK 3	1.5 - 2.5 (16-14)	
56.879.106.313			DFK 3	4.0 - 6.0 (12-10)	
56.930.106.850	4-525450-6	AZ 850	GSK	0.35 - 4.0 (23-12)	
56.934.106.851	4-525450-7	AZ 851	GSK 1-3 polig	1.5 - 6.0 (16-10)	
56.966.106.865	4-525450-0	AZ 865	DFK 40	4.0 - 6.0 (12-10)	
56.980.201.753			RSA 2	0.5 - 2.5 (21-14)	
58.025.106.790		AZ 790		0.5 - 1.0 (21-18)	
58.026.106.791	4-525450-1	AZ 791		1.5 - 2.5 (16-14)	
58.027.101.792		AZ 792		4.0 - 6.0 (12-10)	
58.067.106.796		AZ 796		0.2 - 0.35 (24-23)	
58.093.106.869		AZ 869	AFK / AFS 4,8	4.0 - 6.0 (12-10)	

## GHW Hand Tool list

GHW PN	Tyco PN	(picture is only typical of type) Tool Type	Terminal type	mm <sup>2</sup> (awg) Wire Range
50.000.101.306	7-525450-2	AZ 306	Rast 2,5 Power 2-9 pole	0.5 - 0.75 (21-19)
50.000.101.309		AZ 309	AE	0.5 - 2.5 (21-14)
50.000.101.751		AZ 751	Tel , SFK, VEK	0.08 - 0.5 (28-21)
50.000.101.760	7-525450-1	AZ 760	Rast 2,5 SK	
50.000.101.775		AZ 775	Squibconnector	
50.000.101.917		AZ 917	Rast 5	
50.000.108.768		AZ 768	Ring tongue terminals	0.5 - 6.0 (21-10)
50.000.200.768	525450-5			0.5 - 6.0 (21-10)
50.001.101.750	1-525450-1	AZ 750	VEK1, VEK2, VEK4	0.1 - 0.5 (29-21)
50.920.010.877	1-525450-2			
50.920.012.741				
53.265.101.302		AZ 302	SKS 4 1,5	1.5 (16) ETFE
53.265.101.305		AZ 305	SKS 4 A 1,5	1.5 (16) FLR
53.266.101.303		AZ 303	SKS 5 / SKS6	0.5 - 2.5 (21-14)
55.286.106.770	1-525450-5	AZ 770	FSH 2,8	0.5 - 1.5 (21-16)
55.286.200.770	1-525450-6		FSH 2,8	0.5 - 1.5 (21-16)
55.523.101.797	5-525450-3	AZ 797	Coni 1,6mm	0.75 - 2.5 (19-14)
55.623.101.798	1-525450-8	AZ 798	Coni 1,6	0.14 - 0.6 (26-20)
55.640.108.766	1-525450-9	AZ 766	FSH 6,3	0.5 - 2.5 (21-14)
55.640.109.766		AZ 766	FSH 6,3	0.5 - 2.5 (21-14)
55.640.200.766			FSH 6,3	0.5 - 2.5 (21-14)
56.017.106.759		AZ 759	RAM plus	0.5 - 2.5 (21-14)
56.033.101.756	4-525450-9	AZ 756	RAM plus	0.5 - 2.5 (21-14)
56.033.102.756		AZ 756	RAM plus	0.5 - 2.5 (21-14)
56.039.101.754		AZ 754	RSA 2 Plus	0.75 - 1.5 (19-16)
56.039.102.754		AZ 754	RSA 2 Plus	0.75 - 1.5 (19-16)
56.040.108.765	2-525450-0	AZ 765	FSH 6,3	0.5 - 2.5 (21-14)
56.118.106.772		AZ 772	MFS / MFK	0.2 - 1.0 (24-18)
56.134.101.799		AZ 799	FSH 2,8	0.14 - 0.3 (26-23)
56.135.101.755	2-525450-2	AZ 755	RSA plus / MDK5 plus	0.5 - 2.5 (21-14)
56.135.103.755		AZ 755	RSA2 plus / MDK5 plus	0.5 - 2.5 (21-14)
56.157.101.773	2-525450-3	AZ 773	MFS / MFK plus	0.2 - 1.0 (24-18)
56.165.106.752		AZ 752	FS 2,8	0.5 - 2.5 (21-14)
56.178.106.758		AZ 758	MDK 4 / MDK 5	0.5 - 2.5 (21-14)
56.191.106.788	2-525450-4	AZ 788	MDK 3	0.5 - 2.5 (21-14)
56.231.108.762		AZ 762	DFK 3	0.5 - 2.5 (21-14)
56.246.106.761		AZ 761	DFK 3	0.3 - 0.6 (23-20)
56.253.101.763		AZ 763	FS 2,8 plus	0.5 - 2.5 (21-14)
56.293.108.795	2-525450-5	AZ 795	DFK 40 plus	0.5 - 2.5 (21-14)
56.313.108.769		AZ 769	FSH 4,8	0.5 - 2.5 (21-14)
56.359.108.771	4-525450-4	AZ 771	DFK 4 0,4	0.5 - 2.5 (21-14)
56.383.101.774	2-525450-6	AZ 774	DFK plus / AFK / AFS 4,8	0.5 - 2.5 (21-14)
56.402.101.789	2-525450-7	AZ 789	MDK 3	0.5 - 2.5 (21-14)
56.471.108.767	4-525450-5	AZ 767	DFK 2	0.5 - 2.5 (21-14)
56.570.101.757	2-525450-8	AZ 757	VKR plus	0.5 - 2.5 (21-14)
56.589.101.780	2-525450-9	AZ 780	AFK / AFS 1,5	0.2 - 1.0 (24-18)
56.594.101.781	3-525450-0	AZ 781	AFK / AFS 1,5 plus	0.2 - 1.0 (24-18)
56.634.101.722		AZ 722	VKS plus	0.5 - 2.5 (21-14)
56.638.101.783	4-525450-8	AZ 783	AFK / AFS 2,8 plus	0.2 - 2.5 (24-14)
56.649.106.784	3-525450-2	AZ 784	AFK / AFS 4,8	0.5 - 2.5 (21-14)
56.684.101.787		AZ 787	AFK / AFS 4,8 plus	2.5 - 4.0 (14-12)
56.697.106.785	3-525450-3	AZ 785	AFK / AFS 4,8	0.2 - 4.0 (24-12)
56.700.106.782	3-525450-4	AZ 782	AFK / AFS 2,8	0.2 - 2.5 (24-14)
56.840.108.764		AZ 764	FSH 6,3	0.5 - 2.5 (21-14)
56.840.109.764		AZ 764	FSH 6,3	0.5 - 2.5 (21-14)
56.869.101.777	3-525450-7	AZ 777	AFK 0,63	0.2 - 0.5 (24-21)
56.963.101.793	3-525450-8	AZ 793	DFK 40	0.35 - 1.0 (23-18)
56.964.108.794	3-525450-9	AZ 794	DFK 40	0.5 - 2.5 (21-14)
56.980.106.753		AZ 753	RSA 2	0.5 - 2.5 (21-14)
56.980.107.753		AZ 753	RSA 2	0.5 - 2.5 (21-14)
58.155.101.304		AZ 304	MKR / MKS plus / RSA 2 plus	0.35 - 1.5 (23-16)
58.389.106.310	4-525450-2	AZ 310	MDK3 Twin contact	0.3 - 2.5 (23-14)



### GHW Hand Tool list

GHW PN	Tyco PN	(picture is only typical of type) Tool Type	Terminal type	mm <sup>2</sup> (awg) Wire Range	
55.229.106.825	1-525450-4	AZ 825	KKS 4/6	4.0 - 6.0 (12-10)	
56.041.002.026	5-525450-7	AZ 2026	AFK / AFS 1,5plus	0.5 - 1.0 (21-18)	
56.104.002.002	2-525450-1	AZ 2002	WDF 2	0.5 - 1.0 (21-18)	
56.106.002.003		AZ 2003	WDF 2	1.5 - 2.5 (16-14)	
56.591.002.027	6-525450-8	AZ 2027	AFK / AFS 1,5	0.22 - 0.35 (24-23)	
56.592.002.028	6-525450-9	AZ 2028	AFK / AFS 1,5	0.5 - 1.0 (21-18)	
56.596.002.025	5-525450-4	AZ 2025	AFK / AFS 1,5plus	0.22 - 0.35 (24-23)	
56.636.002.012	6-525450-0	AZ 2012	AFK / AFS 2,8plus	1.5 - 2.5 (16-14)	
56.637.002.010	5-525450-8	AZ 2010	AFK / AFS 2,8	0.5 - 1.0 (21-18)	
56.638.002.011	6-525450-2	AZ 2011	AFK / AFS 2,8	0.22 - 0.35 (24-23)	
56.648.002.022	6-525450-6	AZ 2022	AFK 4,8	1.5 - 2.5 (16-14)	
56.649.002.021		AZ 2021	AFK 4,8	0.5 - 1.0 (21-18)	
56.650.002.023	6-525450-7	AZ 2023	AFK 4,8	4.0 (12)	
56.679.002.016	5-525450-5	AZ 2016	AFK / AFS 4,8plus	0.5 - 1.0 (21-18)	
56.687.002.035	5-525450-6	AZ 2035	AFS 4,8plus	0.5 - 1.0 (21-18)	
56.689.002.033		AZ 2033	AFS 4,8	1.5 - 2.5 (16-14)	
56.691.002.036		AZ 2036	AFS 4,8plus	1.5 - 2.5 (16-14)	
56.693.002.037	5-525450-9	AZ 2037	AFS 4,8plus	4.0 (12)	
56.700.002.013		AZ 2013	AFK / AFS 2,8	0.22 - 0.35 (24-23)	
56.701.002.014	6-525450-4	AZ 2014	AFK / AFS 2,8	0.5 - 1.0 (21-18)	
56.705.002.015	6-525450-5	AZ 2015	AFK / AFS 2,8	1.5 - 2.5 (16-14)	
56.682.002.017	6-525450-1	AZ 2017	AFK 4.8 Plus	1.5 - 2.5 (16-14)	
56.682.002.018	6-525450-3	AZ 2018	AFK 4.8 Plus	4.0 (12)	
56.869.002.029	3-525450-6	AZ 2029	AFK 0,63	0.22 - 0.5 (24-21)	
58.054.002.038	7-525450-0	AZ 2038	MSK	0.22 - 0.5 (24-21)	
58.103.002.039		AZ 2039	MSK plus	0.22 - 0.5 (24-21)	
					
50.000.042.032		Die-set EHC 10		KS	10.0 (8)
50.000.042.033	7-525450-3			KS	16.0 (6)
50.000.042.034				KS	25.0 (4)
50.000.042.035				KS	35.0 (2)
50.000.042.036				KS	50.0 (1/0)
50.000.042.037				KS	70.0 (2/0)
50.000.042.040				KS	6.0 (10)
					
50.000.042.056		Die-set EHC 6		KKS	0.5 - 1.0 (21-18)
50.000.042.057				KKS	1.5 - 2.5 (16-14)
50.000.042.058				KKS	4.0 - 6.0 (12-10)
50.000.042.059				KKS	6.0 - 10.0 (10-8)
50.000.042.060				KKS	10.0 - 12.0 (8-5)
50.000.042.061				KKS	10.0 - 16.0 (8-6)
50.000.042.062				KKS	16.0 - 25.0 (6-4)
50.000.042.065				Maxi - DFK	10.0 (8)
50.000.042.106		FSH	6.0 - 10.0 (10-8)		
					
50.000.017.579		Extraction Tools		MAXI DFK	
50.000.017.585	539972-1			RSA	
50.000.017.586				MDK / DFK	
50.000.017.587	539960-1			AFK / AFS 1,5	
50.000.017.588	2-1579007-4			FS 2,8 asym. TAB	
50.000.017.589	4-1579007-9			FS 4,8 asym.	
50.000.017.590	5-525450-0			VKR 2,5	
50.000.017.595				FSH 6,3	
50.000.017.600	1-1579007-8			VKS 2,5	
50.000.017.601	5-525450-1			MKR / MKS GHW	
50.000.017.605				MSK / MSK plus	
50.000.017.608				LFK plus	
50.000.017.610				MAK	
50.000.017.611				MAK 2,8 x 0,8	
50.000.017.612				MAK 4,8/6,3 x0,6/0,8	
50.000.018.601				MKR / MKS (Daimler Benz)	
50.000.038.751					